

Notified Body pursuant to the Construction Products Regulation  
Permission № CPR-26-NB2765/03.05.2018 of  
Ministry of Regional Development and Public Works

## Certificate of Constancy of Performance № 2765-CPR-0114

In compliance with Regulation (EU) № 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Cement

**Products: Portland Cement EN 197-1 CEM I 42.5 R**  
**Portland-Pozzolana Cement EN 197-1 CEM II/A-P 42.5 N**  
**Portland-Pozzolana Cement EN 197-1 CEM II/B-P 32.5 N**  
**Blast Furnace Cement EN 197-1 CEM III/A 42.5 N**

Intended use: Preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products  
(the characteristics and the performances are described in Annex I which is an inseparable part of this certificate)

placed on the market under the name of

**GUINEE INDUSTRIES CIMENTS**  
**Kissosso, Mototo, BP 3835, Conakry – Guinee**

and produced in the manufacturing plant

**GUINEE INDUSTRIES CIMENTS**  
**Kagbelen, Commune de Dubreka,Guinee Conakry BP 3835**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 197-1:2011**

under system 1+ for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the  
**constancy of performance of the construction product**

This certificate was first issued on 27.02.2019 and will remain valid until 06.04.2027 or neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

06.04.2026

Manager of SZUTEST Ltd

Asen Hristov

The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/Index>

**The certificate will be reissued each year after annual surveillance audit**



Notified Body pursuant to the Construction Products Regulation  
 Permission № CPR-26-NB2765/03.05.2018 of  
 Ministry of Regional Development and Public Works

## Certificate of Constancy of Performance № 2765-CPR-0114

### Annex I

**Products:** Portland cement EN 197-1 CEM I 42.5 R; Portland-pozzolana cement EN 197-1 CEM II/A-P 42.5 N; Portland-pozzolana cement EN 197-1 CEM II/B-P 32.5 N; Blast furnace cement EN 197-1 CEM III/A 42.5 N

**Intended use:** Preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products

**Performance Characteristics:**

Essential Characteristics	Performance				Harmonized standard
Common cements (Subfamilies) constituents and composition	CEM I 42.5 R	CEM II/A-P 42.5 N	CEM II/B-P 32.5 N	CEM III/A 42.5 N	EN 197-1:2011
Early Compressive strength - 2 day - 7 day	≥ 20 MPa ≥ 28 MPa MDV*	≥ 10 MPa ≥ 25 MPa MDV	≥ 10 MPa MDV ≥ 16 MPa	≥ 10 MPa MDV ≥ 25 MPa MDV	
Standard Compressive strength - 28 day	≥ 42,5 MPa ≤ 62,5 MPa	≥ 42,5 MPa ≤ 62,5 MPa	≥ 32,5 MPa ≤ 52,5 MPa	≥ 42,5 MPa ≤ 62,5 MPa	
Setting time - initial - final	≥ 60 min - min	≥ 60 min - min	≥ 75 min - min	≥ 60 min - min	
Insoluble residue	≤ 5 %	≤ 18 % MDV	≤ 30 % MDV	≤ 5 %	
SO <sub>3</sub> content	≤ 4 %	≤ 3,5 %	≤ 3,5 %	≤ 4 %	
Loss on ignition	≤ 5 %	≤ 5 % MDV	≤ 4 % MDV	≤ 5 %	
Soundness(expansion)	≤ 10 mm	≤ 10 mm	≤ 10 mm	≤ 10 mm	
Heat of hydration - 41 hour	≤ 300 J/g	≤ 300 J/g	≤ 300 J/g	≤ 300 J/g	
Chloride content	≤ 0,10 %	≤ 0,10 %	≤ 0,10 %	≤ 0,10 %	
Pozzolanicity (for pozzolanic cement only)	N/A	N/A	N/A	N/A	
Durability	NPD	NPD	NPD	NPD	
C <sub>3</sub> A in clinker	N/A	N/A	N/A	N/A	
Release of dangerous substances	NPD	NPD	NPD	NPD	

\*MDV – Manufacturer Declared Values

**Placed on the market by:** GUINEE INDUSTRIES CIMENTS

**Produced in the manufacturing plant:** Kagbelen, Commune de Dubreka, Guinee Conakry BP 3835

06.04.2026

Manager of SZUTEST Ltd

Asen Hristov

The validity of certificate can be traced on <http://public.szutest.com.tr/CertificateIndex>

The certificate will be reissued each year after annual surveillance audit.

Page 1 / 1